



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification⁴ : C12P 19/04, A61L 15/01</p>	<p>A1</p>	<p>(11) International Publication Number: WO 86/ 02095 (43) International Publication Date: 10 April 1986 (10.04.86)</p>
<p>(21) International Application Number: PCT/BR85/00008 (22) International Filing Date: 30 September 1985 (30.09.85) (31) Priority Application Number: PI 8404937 (32) Priority Date: 1 October 1984 (01.10.84) (33) Priority Country: BR (71) Applicant (for all designated States except US): BIO FILL INDUSTRIA E COMERCIO DE PRODUTOS MEDICO HOSPITALARES LTDA. [BR/BR]; Rua Rio de Janeiro No. 1162, Curitiba, Paraná (BR). (72) Inventor; and (75) Inventor/Applicant (for US only) : FARAH, Luiz, Fernando, Xavier [BR/BR]; Rua Teixeira Soares 405, Curitiba, Paraná (BR).</p>		<p>(74) Agent: DANNEMANN, SIEMSEN, BIGLER & IPANEMA MOREIRA; Rua da Gloria 366, Rio de Janeiro (BR). (81) Designated States: CH (European patent), DE (European patent), FR (European patent), GB (European patent), IT (European patent), JP, US. Published <i>With international search report.</i></p>
<p>(54) Title: PROCESS FOR THE PREPARATION OF CELLULOSE FILM, CELLULOSE FILM PRODUCED THEREBY, ARTIFICIAL SKIN GRAFT AND ITS USE (57) Abstract <p>Process for the preparation of cellulose film, comprising the steps of preparing a culture medium having as nutrients sources of nitrogen and of carbohydrate, seeding this medium with a culture of acetobacter, species Xylinum; incubating the culture at temperatures which permit bacterial activity for a time suitable to the final intended use of the film, and removing the formed film from the culture medium for dehydration in a distended state. The film thus prepared is suitable for use as an artificial skin graft, a separating membrane, or artificial leather.</p></p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GA	Gabon	MR	Mauritania
AU	Australia	GB	United Kingdom	MW	Malawi
BB	Barbados	HU	Hungary	NL	Netherlands
BE	Belgium	IT	Italy	NO	Norway
BG	Bulgaria	JP	Japan	RO	Romania
BR	Brazil	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	LI	Liechtenstein	SN	Senegal
CH	Switzerland	LK	Sri Lanka	SU	Soviet Union
CM	Cameroon	LU	Luxembourg	TD	Chad
DE	Germany, Federal Republic of	MC	Monaco	TG	Togo
DK	Denmark	MG	Madagascar	US	United States of America
FI	Finland	ML	Mali		
FR	France				

Title: "PROCESS FOR THE PREPARATION OF CELLULOSE FILM,
CELLULOSE FILM PRODUCED THEREBY, ARTIFICIAL SKIN
GRAFT AND ITS USE".

The present invention relates to artificial skin
5 grafts, and more particularly provides a process for the
preparation of artificial skin.

Skin lesions have always been a grave problem to be
confronted by medicine, particularly those lesions caused by
burns. In these cases, the patient suffers extensive hydro-
10 electrolitic losses, these losses being greater as the extent
of the burned area increases. There is a critical period of
approximately 36 hours in which substantial loss of blood
fluids occurs in the burned region. After this period, this
fluid loss is interrupted by the closure of the tissues, and
15 the opposite effect is noted, i.e. a fluid retention which
causes swelling. In cases where the area affected is great,
the consequences can be fata.

These extreme symptoms provoked by loss of skin
through burns from heat radiation or chemical products also
20 occur to a lesser extent in cases where skin loss is occasion-
ed by abrasion or other mechanical causes. The conventional
treatment, which is long and painful, consists in the continu-
ed application of medications, such as ointment, lubricated
gauze, and bandages for retaining the gauze in place. The
25 affected region is kept covered, and the patient receives
large doses of antibiotics to prevent infection. For many
years the above described problems have been tackled by
applying skin substitutes to the affected area. The
incessant search for solutions to these problems is

illustrated by a vast bibliography of more than 120 studies published in the last ten years throughout the world, concentrating on attempt to find a skin substitute having the same properties and characteristics as human skin.

5 To date, the following human skin substitutes exist:

1. Autogenous grafting, in which skin is taken from another location on the patients body;

2. Heterogeneous grafting, which may be of two types:

10 firstly, either human skin from donors or cadavers, or amniotic membrane from donors may be used;

secondly, skin from pigs or bovine embryos, or artificial skins such as silicon, collagen, mixtures of collagen and silicon, or polytetrafluoroethylenepolyurethane.

15 Briefly, these items may be described in the following manner:

Autogenous grafting

This involves a surgical operation, extracting an area of the patients own skin from an elected donor region, to
20 be immediately applied over the lesioned area. Since this causes a trauma equivalent to a second degree burn, this is only justifiable in patients who have third degree burns.

Heterogenous grafting

The first method uses human skin from donors, this
25 method being extremely rarely used since as well as requiring donors to submit themselves to extensive traumas, the benefits of this type of grafting are transitory as the graft only lasts for a maximum of two weeks.

Human skin from cadavres

30 This type of grafting is almost never used, due to the inherent difficulties in obtaining cadavres at the appropriate time, together with their entire medical histories. There also exist ethical and legal difficulties, as well as objections from the family of the deceased.

35 Amniotic membrane

This requires a careful choice of donor, and the total absence of risk of contamination. The membrane must be prepared by a specialized team in a medical center, and must

be done within twelve hours. As to its durability, like artificial skin substitutes it does not last more than a week.

Pigskin

Among the various animal skins exhaustively tested for use as human skin substitutes, pigskin presented the best results due to its anatomic characteristics similar to those of man. However, the necessary precautions and the preparation methods give this skin anatomic characteristics similar to man. However, the necessary care in the choice of animal and the preparation of a piece of skin make this option extremely laborious and complex.

The piglet of less than 5 months old, must be absolutely healthy and must have a skin free of any injury. The piglet is electrocuted and then decapitated so that all the blood is lost. A specialized team, working in a sterilizable atmosphere similar to a medical center removes all the skin of the piglet in a first stage, and thereafter prepares it into sheets using electrical equipment. The sheets must be stored under refrigeration (maximum temperature 4°C) in physiological serum with antibiotics. This "skin" once applied to the patient has a limited durability of two weeks.

Artificial skins

Various studies have been carried out over the years in attempts to use synthetic products as skin substitutes for lesions where skin loss has occurred. Two lines of research are worthy of note, the first being the search for a substitute prepared totally from synthetic substances such as silicon, polyurethane, and others, the second attempting to associate a synthetic film of organic material prepared from derivatives of animal blood such as for example collagen.

The first, a completely synthetic skin, has not yet passed through the investigative stage and no product has been placed on the market. The second refers to an artificial skin, prepared from two integral layers. The layer which enters in contact with the lesion is formed from dried organic material, preferably derived from animal blood, and the other is silicon, polyurethane, or the like and functions as a support, this layer being exposed. The organic part is

absorbed by the organism, and the support is then rejected. A product is being marketed, and its characteristics are described in Brazilian patent No. PI 7800285, patentee Battelle Memorial Institute.

5 The present invention resolves the problems described above in a surprising and totally unexpected way, by providing a cellulosic film of varying thickness. The film is translucent, and has selective permeability, The film is pleasant to the touch, and very similar to human skin, the
10 film being semi-permeable, elastic, and having great adhesive power when in contact with the exudate which covers the lesion area. The film has none of the previously mentioned disadvantages, and in addition provides the following advantages in relation to the prior art:

15 The film is of low cost, easy preparation, and may be sterilized without deterioration.

 The esthetic aspect is pleasant, which favours the patient psychologically.

20 The film is easily applied, the use of dressings being unnecessary.

 The film is adapted to any body location, since it easily adheres to lesioned regions by their exudate, and has sufficient elasticity to permit movement.

25 The film is easily stored, since it is not perishable and does not need refrigeration.

 Application of the film immediately relieves pain since it protects the nerve endings.

30 The strong adhesion of the film to the wound reduces the proliferation of germs, and leaves the wound hermetically sealed.

 Hydro-electrolytic losses are reduced. A shortening of the scar forming time in second degree burns, and the tissue granulation in third degree burns.

35 No formation of retractile scarring occurs.

 Since there is no need to change dressings, the risk of contamination is diminished.

 There is no allergic reaction.

 The film permits visual inspection of the develop-

ment of the treatment, by its translucence. This is in contrast with the artificial skins presently existent.

The film must be applied delicately over the injured region, so as to prevent the inclusion of air bubbles or blood secretions between the wound and the film. Once in position on the exudate, and covering the lesion completely, the film gradually and slowly absorbs the exudate. Due to this slowness, the film provides conditions for coagulation of the exudate within the film, thus forming a bridge between the film and the lesioned area. Also due to the slow absorption, coagulation occurs before the exudate has penetrated the membrane, coagulation occurring in two areas;

a) the microscopic spaces existing between the films fibres;

b) the surface of the injury.

From this, there results a perfect adhesion preventing hydro-electrolytic losses and substantially reducing the risk of infection. Additionally, since the nerve endings are isolated, the pain of the injury is immediately reduced.

The film, therefore, makes it possible for the patient to reconstitute the epithelial tissues, since the lesioned area is isolated and contamination is avoided. Under these conditions, there is no necessity to change dressings, since the adhesion of the film to the lesion will only cease gradually, as the tissue regenerates. The film is formed totally from cellulose, an inert substance, and does not have any medicinal action on the lesioned zone. After having provided the organism with conditions to regenerate the lesioned tissues, the film ceases to adhere to the patient, and leaves no residue whatsoever on the regenerated area. The film becomes unstuck, with exactly the same characteristics it had at the moment of its application, and may be regarded simply as a prosthesis or temporary implant.

Since the cellulose film is strong and inert, it permits of practically all types of sterilization. It may be stored at any temperature, and does not require special conditions. It is of unlimited durability. The film has determined permeability to liquids and air, a characteristic

molecular weight and structure, a predictable thickness when dehydrated, in addition to other specific physical characteristics.

5 The following physical and spectroscopic studies were made with the objective of better defining the material of the present invention.

10 To this end, a sample of the film was partially whitened using a 30% sodium hypochloride solution, the whitened part being subsequently dyed, leaving a remainder in its original, non-whitened condition. The following results were obtained:




Tests	Film	
	Whitened	Non-Whitened
1. Permeability to air, Bendtsen, mL/min (150 WG)	11	8
2. Resistance to air, Gurley, s/100mL NBR 7152/82 (ABNT MB-1271/79)	more than 1800 seconds	more than 1800 seconds
3. Tensile strength, kg/cm ² NBR 7462/82 (ABNT-MB 57/68)	-----	7,92
4. Elongation, % NBR 7462/82 (ABNT-MB 57/68)	-----	74

Note: For the physical tests, the film was brought to a moisture content of $25 \pm 5\%$ and the proof bodies were packed and tested at a relative humidity of $65 \pm 2\%$ and a temperature of $20 \pm 1^{\circ}\text{C}$.

Spectroscopic analysis revealed that both the whitened and non-whitened films were of cellulosic nature.

In the spectroscopic study, the following reference table was used, the table having been taken from "infra-red spectra of cellulose and its derivatives" by Rostislav Georgievich Zhbakov, and published in 1966.

Reference table

Group/bonding	Compound	Wave number cm^{-1}
	cellulose and its derivatives	from 1400 to 1200
	cellulose and its derivatives	from 1400 to 1300
	cellulose and its derivatives	from 1200 to 1100 from 1150 to 1000

The process for preparation of the film is a bio-synthesis which takes place during the reproduction of bacteria of the order pseudomonadales, from the family of pseudomonadaceas, of the genus acetobacter, species Xylinum. These bacteria, seeded in a culture medium, having carbohydrate nutrients associated with a nitrogen source, produce a cellulosic capsular zoogloea which surrounds the micro-

organisms.

This zoöglöea has a cartilaginous appearance and a thickness which varies between 0.2 and 400 mm. After seeding the bacteria, a schizogenous vegetative reproduction process is initiated; the cell is divided in two equal parts and grows until a central ring is formed, where the bacterium divides. In the case of acetobacter, after cellular division the new bacteria is aggregated to its originating bacteria and immediately initiates its own reproductive process. Under ideal conditions, a further division occurs each 20 minutes.

The acetobacters are surrounded by a cellulosic capsule and after division they remain agglomerated, forming chains. This characteristic, allied to the speed of reproduction, propiciates the formation of a cellulosic film by the linking of the bacterial chains with their respective capsules.

The thickness of the film is variable and depends on various factors, such as the dosage of nutrients, temperature, time, saturation point of the colony, and the type of culture medium.

The zoöglöea of the acetobacters is a fabric formed by the interweaving of the bacterial chains surrounded by their cellulosic capsules. Proceeding with the dehydration of the zoöglöea, there are obtained sheets of pure cellulose which, by their characteristics, permit their use as raw material for various industrial purposes, among these dermatological prostheses, suture medium, or leather substitutes.

After dehydration the microscopic spaces existing between the fibres of the membrane offer selective permeability characteristics.

The thickness of the film is a function of the following variables, interalia:

- a) the content of carbohydrates in the culture medium;
- b) the content of nitrogen in the culture medium;
- c) the temperature;
- d) the duration of the period of formation of the

zoöglöea.

Various examples will now be given to illustrate the invention, the examples being non-limitative.

Example 1

5 A culture medium was prepared from an infusion of 20g of Tea Sinensis in 10 litres of water. The infusion was filtered, and 1 kg of sugar was added to the filtrate, which was then mixed.

10 To the culture medium obtained, 10 ml of a culture of acetobacter, species Xylinum was added, and was incubated at 28°C for a period of 36 hours, a thin film being formed of approximately 0.2 mm thickness.

15 The film is removed from the medium, and is optionally boiled depending on its intended use and is then dehydrated at ambient temperature on supports, in a distended state. The film thus obtained is then ready for use as artificial skin or leather. The culture medium separated from the skin is filtered, and is made up with the nutrient solution initially used to compensate for losses which occur during the bio-
20 synthesis process.

The temperature of incubation and the concentration of carbohydrates in the culture medium are not critical, and may vary between very low levels which still permit bacterial activity and high levels which still permit existence of the
25 film without causing deformation thereof.

The temperature of dehydration is also not critical, and normal heat sources may be used.

Example 2

30 The process of example 1 is followed, the culture being left to incubate during a period of 96 hours, whereupon a film of zoöglöea of 3 mm thickness was obtained, the film being usable after dehydration as an artificial skin graft.

Example 3

35 The process of example 1 was used, using as a source of nitrogen, maté.

A film identical to that of example 1 was obtained, with the same predehydration thickness, the incubation time

being 72 hours.

Example 4

5 A film prepared in accordance with the previous examples was taken and delicately applied on a lesioned region where loss of epithelial tissue had occurred, so that between the film and the injury no air bubbles or blood secretions were formed. Once the film was applied over the exudate, completely covering the lesion, the film absorbed the exudate but did not permit loss of exudate nor entry of air.

10 The film therefore forms a new skin over the tissue, mechanically eliminating pain symptoms by isolating the nerve ending. The lesion regenerates after a time, and the film spontaneously lifts from the region after its regeneration leaving visible a new epithelial tissue completely regenerated.

15 The cellulose film of the invention may also be used as a surgical suture, given the necessary preparation, and presents a high knot strength.

20 The film may also be used as a separating membrane, as artificial leather, for tennis racket strings, or any other of the uses to which cellulose is normally put.

CLAIMS:

1. Process for the preparation of a cellulose film, characterised by comprising the steps of:
 - preparing a culture medium having as nutrients a
5 source of nitrogen and carbohydrate;
 - seeding in this medium a culture of acetobacter, species Xylinum;
 - incubating the culture at temperatures which permit the activity of the bacteria during a time suitable for the
10 intended use of the film; and
 - withdrawing the formed film from the culture medium and dehydrating it in a distended state.
2. Process in accordance with claim 1, further including the step of replacing lost nutrients in the culture
15 medium and recycling the culture medium.
3. Process according to claim 1 or claim 2, characterised in that the nitrogen source is Tea Sinensis, and the carbohydrate source is sucrose.
4. Process in accordance with claim 1, characterised
20 in that the incubation is effected at a temperature of approximately 28°C for a period of from about 26 to about 96 hours, thus obtaining a film having a thickness of 0.2 to 3 mm prior to dehydration.
5. A cellulose film characterised by having been
25 prepared by the process of any of the preceding claims.
6. An artificial skin graft, characterised by comprising a dehydrated cellulose film obtained in accordance with the process of claim 1, which has subsequently been cut to size, sterilized, and packaged.
- 30 7. The use of a cellulose film prepared in accordance with claim 1, as a separating membrane.
8. The use of a cellulose film prepared in accordance with claim 1, as artificial leather.
9. The use of a dehydrated cellulose film prepared
35 in accordance with claim 1, for the production of strings for tennis rackets or the like.

10. Any novel feature disclosed herein, alone or in combination with any other feature disclosed herein, novel or otherwise. .

INTERNATIONAL SEARCH REPORT

International Application No PCT/BR 85/00008

I. CLASSIFICATION OF SUBJECT MATTER (If several classification symbols apply, indicate all) * According to International Patent Classification (IPC) or to both National Classification and IPC IPC ⁴ : C 12 P 19/04; A 61 L 15/01														
II. FIELDS SEARCHED <div style="text-align: center; margin-top: 10px;">Minimum Documentation Searched ⁷</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%; padding: 5px;">Classification System</td> <td style="padding: 5px;">Classification Symbols</td> </tr> <tr> <td style="padding: 5px;">IPC⁴</td> <td style="padding: 5px;">C 12 P; A 61 L</td> </tr> </table> <div style="text-align: center; margin-top: 10px;">Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched *</div>			Classification System	Classification Symbols	IPC ⁴	C 12 P; A 61 L								
Classification System	Classification Symbols													
IPC ⁴	C 12 P; A 61 L													
III. DOCUMENTS CONSIDERED TO BE RELEVANT <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 10%; padding: 5px;">Category *</th> <th style="width: 60%; padding: 5px;">Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²</th> <th style="width: 30%; padding: 5px;">Relevant to Claim No. ¹³</th> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">X</td> <td style="padding: 5px;">DD, A, 88307 (E. CORRENS) 5 March 1972 see page 3, last paragraph and page 4 --</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1,5,7</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">X</td> <td style="padding: 5px;">US, A, 4378431 (R.M. BROWN) 29 March 1983 see column 3 --</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1,3,4,5</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">X</td> <td style="padding: 5px;">EP, A, 0114481 (JOHNSON & JOHNSON PRODUCTS INC.) 1 August 1984 see the entire document -----</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1-6</td> </tr> </table>			Category *	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³	X	DD, A, 88307 (E. CORRENS) 5 March 1972 see page 3, last paragraph and page 4 --	1,5,7	X	US, A, 4378431 (R.M. BROWN) 29 March 1983 see column 3 --	1,3,4,5	X	EP, A, 0114481 (JOHNSON & JOHNSON PRODUCTS INC.) 1 August 1984 see the entire document -----	1-6
Category *	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³												
X	DD, A, 88307 (E. CORRENS) 5 March 1972 see page 3, last paragraph and page 4 --	1,5,7												
X	US, A, 4378431 (R.M. BROWN) 29 March 1983 see column 3 --	1,3,4,5												
X	EP, A, 0114481 (JOHNSON & JOHNSON PRODUCTS INC.) 1 August 1984 see the entire document -----	1-6												
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>* Special categories of cited documents: ¹⁰</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"Δ" document member of the same patent family</p> </div> </div>														
IV. CERTIFICATION <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; padding: 5px;">Date of the Actual Completion of the International Search 3rd January 1986</td> <td style="width: 50%; padding: 5px;">Date of Mailing of this International Search Report 24 JAN. 1985</td> </tr> <tr> <td style="padding: 5px;">International Searching Authority EUROPEAN PATENT OFFICE</td> <td style="padding: 5px;">Signature of Authorized Officer G.L.M. Knydenberg</td> </tr> </table>			Date of the Actual Completion of the International Search 3rd January 1986	Date of Mailing of this International Search Report 24 JAN. 1985	International Searching Authority EUROPEAN PATENT OFFICE	Signature of Authorized Officer G.L.M. Knydenberg								
Date of the Actual Completion of the International Search 3rd January 1986	Date of Mailing of this International Search Report 24 JAN. 1985													
International Searching Authority EUROPEAN PATENT OFFICE	Signature of Authorized Officer G.L.M. Knydenberg													

ANNEX TO THE INTERNATIONAL SEARCH REPORT

INTERNATIONAL APPLICATION NO. PCT/BR 85/00008 (SA 10874)

This Annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on 17/01/86

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
DD-A- 88307		None	
US-A- 4378431	29/03/83	None	
EP-A- 0114481	01/08/84	GB-A- 2131701	27/06/84
		AU-A- 2249083	21/06/84
		JP-A- 59120159	11/07/84

For more details about this annex :
see Official Journal of the European Patent Office, No. 12/82